





<N: 5! J





HZFA-V







A 20 15A
CT/PT

PT
CT
PT

/





2000


/

RS232

U

20Kg

CT	220V	0—1000V	3KVA	< 0.5%
PT	220V	0—330V	3KVA	< 0.5%
CT	220V	0-8V		< 0.5%
PT	220V	0—1000V		< 0.5%
CT	-	-		





220V

CT PT U

全功能互感器综合测试仪

- CT 测试
- PT 测试
- 数据查询
- U盘转存
- 系统设置

08-12-28 15:30



CT 参数设置

编号: ABC001


相序: A



Kn: 1

变比: 1000:5

确定


CT







d.

()









CT

b.

CT

L1 L2

CT

K1 K2

c.




CT




e.

5

200A




E.



4. PT

PT



PT

PT

CT


CT

A. PT



PT

PT





a.



0 - 3 A



0~330V



b.

B. PT

PT

PT



a.




0 - 1000



5

b.





PT

a x

c.

5

1000V

PT测试——二次耐压

一次电压: 1000 V
绝缘电流: 0.001 V

累计时间 1: 00

5.

[Empty box]

CT

PT

A. CT

a.

b.



[Empty box]

[Empty box]

[Empty box]


数据查询

请输入:



编号: ABC001





日期: 09年 5月 1日



N	编号	相序	Kn	时间	类型
1	ABC001	A		09-05-01-15:23	变比
2	ABC001	A	1	09-05-01-15:23	变比
3	ABC001	A	1	09-05-01-15:23	伏安
4	ABC001	A	2	09-05-01-15:23	伏安



赫兹电力
HERTZ POWER









"

"

"

"

1

2

1.

2

1

2

3

2

24

027-83267669

24

48

4

225

027-83267669